

**HW**

**MEC**

D 125 n max 8000













D	B	d	Z	COD.
125	130	40	4	0417R21340
125	180	40	4	0417R21840


- corpo in lega leggera
- completa di coltelli reversibili in HW





Coltelli reversibili HW HW turnover knives		Cunei di serraggio Clamping wedges	
COD.	B	COD.	B
0417R21340	130	0417C130HW	126
0417R21840	180	0417C180HW	176
			048050K126
			048050K176


Ricambi / Spare parts / Rechanges / Repuestos / Ersatzteile

 COD. 048060H000	 COD. 0480700615	 COD. 0480700620	 COD. 0401P417R0
 COD. 048072B620	 COD. 048074B515	 COD. 048074C516	 COD. 048074A410
 COD. 048074P460	 COD. 0480783000	 COD. 048078ZL50	 COD. 048078T200

 L.A. Head for planing, rounding and beveling.  
Light alloy tool body.  
Supplied with HW turnover knives.

 Cabezal de aleacion leggera para cepillar , redondear y biselar.  
Cuerpo de aleacion leggera.  
Equipado con cuchillas reversibles de HW.

 Porte - outil en alliage léger pour raboter , arrondir et chanfreiner.  
Corps en alliage léger.  
Fourni avec couteaux réversibles en HW.

 Leichtmetall Messerkopf zum Hobeln, Abrunden und Abfasen.  
Tragkörper in Leichtmetall.  
Komplett mit HW - Wendemesser.



Ricambi / Spare parts / Rechanges / Repuestos / Ersatzteile



COD.

COD.



R=3

K48062E000

K480150000



R=5

K48062ER50

K48015R500



R=8

048062HORH

048015R080

R=10

048062HORH

048015R100

R=12

048062HORH

048015R120

R=15

048062HORH

048015R150



45°

048062HORH

0480154500



COD.

COD.



R=3

K48062E000

K480160000



R=5

K48062ER50

K48016R500



R=8

048062H0LH

048016R080

R=10

048062H0LH

048016R100

R=12

048062H0LH

048016R120

R=15

048062H0LH

048016R150




45°

048062H0LH

0480164500


# K 424 - B1 Testa per contornare con levaspigoli



HW

MAN

n 6200 - 10700



D	B	d	Z	LS	45° COD.	R 1.5 COD.	R 3 COD.	R 5 COD.
125	65	30	2	2+2	K424B13045	K424B130R1	K424B130R3	K424B130R5
125	65	35	2	2+2	K424B13545	K424B135R1	K424B135R3	K424B135R5
125	65	40	2	2+2	K424B14045	K424B140R1	K424B140R3	K424B140R5
125	65	50	2	2+2	K424B15045	K424B150R1	K424B150R3	K424B150R5

## Ricambi / Spare parts / Rechanges / Repuestos / Ersatzteile

COD.    COD.    COD.    COD.    COD.    COD.    COD.  
 0480050060   0480505600   048060C000   0480700612   0480700620   048074B515   048074C516

COD.    COD.    COD.    COD.  
 K480110000   K480130000   K480150000   K48015R500

COD.    COD.  
 K48062E000 (45°-R1.5-R3)    K48062ER50 (R5)

COD.    COD.    COD.    COD.    COD.    COD.  
 K480120000   K480140000   K480160000   K48016R500   0480783000   048078T200

Jointing cutter head with edge - breakers.


Cabezal para cantear con mata - cantos.

Porte - outil à dresser avec brise - aretes.

Fuge - Messerkopf mit Kantenbrechern.

# K 424 - B2


## Testa per contornare con levaspigoli



**HW**

**MAN**

n 5900 - 10200



D	B	d	Z	LS	45° COD.	R 1.5 COD.	R 3 COD.	R 5 COD.
130	65	30	4	2+2	K424B23045	K424B230R1	K424B230R3	K424B230R5
130	65	31.75	4	2+2	K424B23145	K424B231R1	K424B231R3	K424B231R5
130	65	35	4	2+2	K424B23545	K424B235R1	K424B235R3	K424B235R5
130	65	40	4	2+2	K424B24045	K424B240R1	K424B240R3	K424B240R5
130	65	50	4	2+2	K424B25045	K424B250R1	K424B250R3	K424B250R5

### Ricambi / Spare parts / Rechanges / Repuestos / Ersatzteile

**0480050060** **0480505600** **048060C000** **0480700612** **0480700620** **048074B515** **048074C516**  
**0480110000** **K480130000** **K480150000** **K48015R500**  
**K48062E000 (45°-R1.5-R3)** **K48062ER50 (R5)**  
**K480120000** **K480140000** **K480160000** **K48016R500** **0480783000** **048078T200**

Jointing cutter head with edge - breakers.

Cabezal para cantear con mata - cantos.

Porte - outil à dresser avec brise - aretes.

Füge - Messerkopf mit Kantenbrechern.